



Para-xylene

Property	Unit	Test	Value
purity wt. %		ASTM D 3798-00	99.7 min
Non aromatics wt. %		ASTM D 3798-00	0.1max
m-Xylene wt. %		ASTM D 3798-00	0.2max
O-Xylene wt. %		ASTM D 3798-00	0.1max
Ethylbenzene wt. %		ASTM D 3798-00	0.3max
Toluene wt. %		ASTM D 3798-00	0.1max
appearance		VISUAL	Clear liquid free of sedimentation or haze at 18.3to 25.6 'c
color, Pt-co scale		ASTM D 1209-00	20 max
Distillation range 'c at 760 mm Hg		ASTM D 850-00	20 max including 138.3
Total Sulfour wt. ppm		ASTM D 4045-99	1.0 max
Specific Gravity at 15.56/15.56 'c		ASTM D 4052-96	0.865-0.867
Vapor Pressure Psi		ASTM D 323-99A	0.3